

Published Work

- 1) Réaction des Ynamines avec la p-Benzoquinone et la p-Benzoquinone Imine.
Ficini, J.; Krief, A. *Tetrahedron Lett.* **1967**, 2497-2501.
- 2) Synthèse d'Amino Quinolone par Réaction des Ynamines sur les Aryl-Isocyanates.
Ficini, J.; Krief, A. *Tetrahedron Lett.* **1968**, 947-951.
- 3) Cycloaddition du Déhydrobenzène sur les Ynamines et sur les Dérivés Benzocyclobutadiéniques Intermédiaires de Réaction.
Ficini, J.; Krief, A. *Tetrahedron Lett.* **1968**, 4143-4146.
- 4) Synthèses d'Amino- γ -Pyranes à partir des Ynamines et des Cétones et Aldéhydes α,β -Éthyléniques.
Ficini, J.; Krief, A. *Tetrahedron Lett.* **1969**, 1427-1430.
- 5) Synthèse d'Amino Bicyclo-(3.2.0)-Hepténone et Amino-(4.2.0)-Octénone par Action d'une Ynamine sur des Cétones Cycliques α,β -Éthyléniques.
Ficini, J.; Krief, A. *Tetrahedron Lett.* **1969**, 1431-1434.
- 6) Synthèse d'Amino-2-Alcoxy-6- γ -Pyranes et de Carbométhoxycyclobutanones par Cycloaddition d'une Ynamine sur les Esters α,β -Éthyléniques.
Ficini, J.; Krief, A. *Tetrahedron Lett.* **1970**, 885-888.
- 7) Stereochemical Control in the Hydrolysis of an Enamine Cyclopentenone Adduct a Stereoselective Route to Diastereoisomeric 2- (1-cyclopentyl-3 oxo) propionic Acids.
Ficini, J.; Krief, A. *Tetrahedron Lett.* **1970**, 1397-1400.
- 8) Conversion of Des-6-Methyl-2,3-Oxido-Squalene to 19-Norlanosterol by 2,3-Oxidosqualene Sterol Cyclase.
Corey, E.J.; Yamamoto H.; Krief, A. *J. Am. Chem. Soc.* **1971**, 93, 1493-1494.
- 9) Sur des Essais de Synthèse de Cyclobutadiène.
Ficini, J.; Touzin, A.M.; Krief, A. *Bull. Soc. Chim. Fr.* **1972**, 2388.
- 10) Isomérisation Régiospécifique et Stéréosélective d'Oléfines Trisubstituées.
Krief, A. *C. R. Acad. Sci., Paris* **1972**, 275, 459.
- 11) Synthesis and Reactions of Unstabilized α -Selenonio Alkylides.
Dumont W.; Bayet P.; Krief, A. *Angew. Chem. Int. Ed.* **1974**, 13, 274.
- 12) A New Reagent for Stereospecific Synthesis of Aziridines from Olefins.
Van Ende D.; Krief, A. *Angew. Chem. Int. Ed.* **1974**, 13, 279.
- 13) A Highly Potent Reagent for Regioselective and Stereospecific Synthesis of Polyenes Bearing Terminal Aziridine Groups.
Van Ende, D.; Krief, A. *Angew. Chem. Int. Ed.* **1974**, 13, 279-280.

- 14) Cleavage of Selenium Compounds by Butyllithium. A New, Regiospecific, Allyl Alcohol Synthon.
Dumont, W.; Bayet, P.; Krief, A. *Angew. Chem. Int. Ed.* **1974**, *13*, 804-805
- 15) Synthetic Route to α -Selenoacetals, α -Selenonio Sulfides, α -Selenonio Ethers, α -Selenonio Amine and α -Selenonio Silane.
Anciaux, A.; Eman, A.; Dumont, W.; Van Ende, D.; Krief, A. *Tetrahedron Lett.* **1975**, 1613-1616.
- 16) Reactivity of Mixed Sulfo-Seleno Acetals and Oxo-Seleno Acetals with n-Butyllithium : A New Route to Substituted Epoxides.
Anciaux, A.; Eman, A.; Dumont, W.; Krief, A. *Tetrahedron Lett.* **1975**, 1617-1620.
- 17) New Synthetic Route to Di- and Trisubstituted Epoxides.
Dumont, W.; Krief, A. *Angew. Chem. Int. Ed.* **1975**, *13*, 350-351.
- 18) A New Route to Epoxides.
Van Ende, D.; Dumont, W.; Krief, A. *Angew. Chem. Int. Ed.* **1975**, *14*, 700-701.
- 19) Stereospecific Synthesis of Z and E-C₁₆- ω -Iodo Δ^9 Fatty Acids from Natural Aleuritic Acid.
Hevesi, L.; Hontoy, J.; Krief, A.; Lubochinsky, J.; Lubochinsky, B. *Bull. Soc. Chim. Belg.* **1975**, *84*, 709-716.
- 20) Stereoselective Isomerisations of Disubstituted Olefins via Seleniranes and Thiiranes.
Van Ende, D.; Krief, A. *Tetrahedron Lett.* **1975**, 2709-2712.
- 21) Structure Electronique de l'Oxépine, de l'Azépine, de l'Oxyde et de l'Aziridine de Benzène.
Colot, G.; Krief, A.; André, J.M. *Bull. Soc. Chim. Belg.* **1975**, *84*, 897-902.
- 22) Regiospecific Synthetic Routes to α -Seleno Carbonyl Compounds and to α,β -Unsaturated Carbonyl Compounds.
Denis, J.N.; Dumont, W.; Krief, A. *Tetrahedron Lett.* **1976**, 453-456.
- 23) Regiospecific Synthesis of α,β -Unsaturated Epoxides.
Van Ende, D.; Krief, A. *Tetrahedron Lett.* **1976**, 457-460.
- 24) Synthesis of Olefins from α -Silyl Carbanions and Carbonyl Compounds.
Dumont, W.; Krief, A. *Angew. Chem. Int. Ed Engl.* **1976**, *15*, 161.
- 25) New Regiospecific Routes to Olefins from β -Hydroxy Selenides:
-a Stereospecific Deoxygenation of Epoxides;
-a [C,C] Connective Route to Olefins.
Rémion, J.; Dumont, W.; Krief, A. *Tetrahedron Lett.* **1976**, 1385-1388.

- 26) Reduction or Alkylative Reduction of the Carbonyl Group.
Sevrin, M.; Van Ende, D.; Krief, A. *Tetrahedron Lett.* **1976**, 2643-2646.
- 27) Transformation of Selenides to Alkylhalides. New Routes for Homologization of Primary Alkylhalides.
Sevrin, M.; Dumont, W.; Hevesi, L.; Krief, A. *Tetrahedron Lett.* **1976**, 2647-2650.
- 28) Alkylhalides Synthesis from Selenoxides. A New Homologization Process.
Hevesi, L.; Sevrin, M.; Krief, A. *Tetrahedron Lett.* **1976**, 2651-2654.
- 29) Photo-Oxygenation of Selenides - A New Pathway to Selenoxides.
Hevesi, L.; Krief, A. *Angew. Chem.* **1976**, 88, 413.
- 30) New Regiospecific and Stereoselective Route to β -Hydroxy Selenides. A [C,C] Connective and Stereospecific Route to Olefins and Epoxides.
Léonard-Coppens, A.M.; Krief, A. *Tetrahedron Lett.* **1976**, 3227-3230.
- 31) Thionyl Chloride/Triethylamine : a Powerful Reagent for Regiospecific and Stereospecific Formation of Olefins from β -Hydroxyselenides.
-Stereospecific Deoxygenation of Di- and Trisubstituted Epoxides.
-A [C,C] Connective Route to Di-, Tri- and Tetrasubstituted Olefins.
Rémion, J.; Krief, A., *Tetrahedron Lett.* **1976**, 3743-3746.
- 32) A New Design for the Synthesis of Chrysanthemic Esters and Analogs and for the "Pear Ester" Synthesis.
Devos, M.J.; Hevesi, L.; Bayet, P.; Krief, A. *Tetrahedron Lett.* **1976**, 3911-3914.
- 33) A Total Stereospecific Synthesis of d,l-cis and d,l-trans Chrysanthemic Esters.
Sevrin, M.; Hevesi, L.; Krief, A. *Tetrahedron Lett.* **1976**, 3915-3918.
- 34) Assignment of Configuration of Olefins, Diols, and Epoxides. Quantitative Analysis of their Stereoisomeric Mixtures.
Krief, A.; Hevesi, L.; B.Nagy, J.; Derouane, E.G. *Angew. Chem. Int. Ed. Engl.* **1977**, 100-101.
- 35) Synthesis of Diselenoacetals and O-(Trimethylsilyl)-monoselenoacetals.
Dumont, W.; Krief, A. *Angew. Chem. Int. Ed. Engl.* **1977**, 16, 540-541.
- 36) α -Halogenoalkyl Selenides and α -(Phenylseleno)alkoxide Anions.
Dumont, W.; Sevrin, M.; Krief, A. *Angew. Chem. Int. Ed. Engl.* **1977**, 16, 541-542.
- 37) Synthetic Route to Vinyl Selenides and Vinyl Selenoxides.
Sevrin, M.; Dumont, W.; Krief, A. *Tetrahedron Lett.* **1977**, 3835-3838.
- 38) ^1H and ^{13}C Studies of Alkenes, Epoxides and Cyclic Thionocarbonates.
Hevesi, L.; B.Nagy, J.; Krief, A.; Derouane E.G. *Org. Mag. Res.* **1977**, 10, 14-19.

- 39) Unusual but not Unexpected Reactions of α -Halogenoselenides.
Dumont, W.; Sevrin, M.; Krief, A. *Tetrahedron Lett.* **1978**, 183-186.
- 40) New Regiospecific Route to β,γ -Unsaturated Alcohols and β,γ -Unsaturated Ketones. New Methodology for α,β -Unsaturated Ketones Synthesis.
Sevrin, M.; Krief, A. *Tetrahedron Lett.* **1978**, 187-190.
- 41) Olefin Synthesis from Selenides and Selenoxides. t-Butylhydroperoxide-Alumina, a Powerful Reagent for Selenide Oxidation-Elimination.
Labar, D.; Hevesi, L.; Dumont, W.; Krief, A. *Tetrahedron Lett.* **1978**, 1141-1144.
- 42) Synthetic Connective Route to Allyl Alcohols from Carbonyl Compounds.
Labar, D.; Dumont, W.; Hevesi, L.; Krief, A. *Tetrahedron Lett.* **1978**, 1145-1148.
- 43) Synthesis of α -Silylselenoalkyllithiums.
Van Ende, D.; Dumont, W.; Krief, A. *J. Organomet. Chem.* **1978**, 149, C10-C12.
- 44) Pyrocine Synthesis. A New Approach to Chrysanthemic Ester.
Devos, M.J.; Krief, A. *Tetrahedron Lett.* **1978**, 1845-1846.
- 45) New Stereospecific Synthesis of cis- and trans-d,l-Chrysanthemic Esters and Analogs via a Common Intermediate.
Devos, M.J.; Denis, J.N.; Krief, A. *Tetrahedron Lett.* **1978**, 1847-1850.
- 46) Regio and Stereospecific Synthesis of α,β -Unsaturated Esters, Lactones and Acids.
Lucchetti, J.; Krief, A. *Tetrahedron Lett.* **1978**, 2693-2696.
- 47) Controlled Regiospecific Addition of 1-Lithio-1-Selenoacetates to α,β -Unsaturated Ketones.
J. Lucchetti, J.; Krief, A. *Tetrahedron Lett.* **1978**, 2697-2700.
- 48) Reactivity of Phenyl Vinyl Selenide with Nucleophiles and Bases.
Sevrin, M.; Denis, J.N.; Krief, A. *Angew. Chem. Int. Ed. Engl.* **1978**, 17, 56.
- 49) New Reagent for Conversion of Olefins to β -Hydroxyselenides.
Labar, D.; Krief, A.; Hevesi, L. *Tetrahedron Lett.* **1978**, 3967-3970.
- 50) Cyclopropanone Diselenoketals. Interesting Building Blocks in Organic Synthesis.
Halazy, S.; Lucchetti, J.; Krief, A. *Tetrahedron Lett.* **1978**, 3971-3974.
- 51) β -Hydroxy α -Silyl Selenides as Versatile Intermediates in Organic Synthesis.
Dumont, W.; Van Ende, D.; Krief, A. *Tetrahedron Lett.* **1979**, 485-488.
- 52) On the Mechanism of the Chrysanthemic Ester Synthesis.
Devos, M.J.; Krief, A. *Tetrahedron Lett.* **1979**, 1511-1514.
- 53) One Pot Synthesis of Chrysanthemic Esters Analogs.
Devos, M.J.; Krief, A. *Tetrahedron Lett.* **1979**, 1515-1518.

- 54) 1-4 Addition of Carbanions to α,β -Unsaturated Carbonyl Compounds in the Presence of HMPA : First Evidence of Kinetic Control.
Wartski, L.; El Bouz, M.; Seyden-Penne, J.; Dumont, W.; Krief, A. *Tetrahedron Lett.* **1979**, 1543-1546.
- 55) Diphosphorus Tetraiodide (P_2I_4) a Valuable Reagent for Regioselective Synthesis of Iodoalkanes from Alcohols.
Lauwers, M.; Regnier, B.; Van Eenoo, M.; Denis, J.N.; Krief, A. *Tetrahedron Lett.* **1979**, 1801-1804.
- 56) Simple Synthetic Route to Chrysanthemic Acid and Hemicaronic Aldehyde.
Devos, M.J.; Krief, A. *Tetrahedron Lett.* **1979**, 1891-1892.
- 57) Regioselective 1-4 Addition of Acyl Anion Equivalents to α -Enones.
Lucchetti, J.; Dumont, W.; Krief, A. *Tetrahedron Lett.* **1979**, 2695-2696.
- 58) New Synthetic Routes to β -Hydroxyselenides and β -Azidoselenides.
Denis, J.N.; Vicens, J.; Krief, A. *Tetrahedron Lett.* **1979**, 2697-2700.
- 59) Oxydation Spécifique des β -Hydroxysélénies en Cétones α,β -Éthyléniques et Dérivés Carbonylés α -Sélénés.
Lucchetti, J.; Krief, A. *C. R. Acad. Sci., Paris, Série C.* **1979**, 288, 537-539.
- 60) Nouvelles Synthèses d'Oléfines.
Lucchetti, J.; Rémond, J.; Krief, A. *C. R. Acad. Sci., Paris, Série C.* **1979**, 288, 553-555.
- 61) 1,1-bis(Phenylseleno)- and 1,1-bis(Methylseleno)-Alkylolithiums as Building Blocks in Organic Synthesis.
Van Ende, D.; Cravador, A.; Krief, A. *J. Organomet. Chem.* **1979**, 177, 1-4.
- 62) Stereospecific Enzymic Cyclization of a Synthetic 2,3-Oxidosqualene Analogue Bearing a 18Z Carbon-Carbon Double Bond.
Herin, M.; Sandra, P.; Krief, A. *Tetrahedron Lett.* **1979**, 3103-3106.
- 63) Syntheses of Squalene Epoxide and Lanosterol Analogues for a Biosynthetic Experiment.
Herin, M.; Delbar, P.; Rémond, J.; Sandra, P.; Krief, A. *Tetrahedron Lett.* **1979**, 3107-3110.
- 64) New Deoxygenation Reactions of Sulfoxides, Selenoxides and Primary Nitroalkanes to Sulfides, Selenides and Nitriles.
Denis, J.N.; Krief, A. *Tetrahedron Lett.* **1979**, 3995-3996.
- 65) Olefins Syntheses from β -Hydroxysulfides.
Denis, J.N.; Dumont, W.; Krief, A. *Tetrahedron Lett.* **1979**, 4111-4112.
- 66) A New General Route to Olefins from Selenides.
Halazy, S.; Krief, A. *Tetrahedron Lett.* **1979**, 4233-4236.

- 67) New Simple Methods for Deoxygenation of Epoxides.
Denis, J.N.; Magnane, R.; Van Eenoo, M.; Krief, A. *Nouveau Journal de Chimie*, **1979**, *3*, 705-707.
- 68) Cleavage (Deprotection) of Selenoacetals to Carbonyl Compounds ; A Comparative Study.
Burton, A.; Hevesi, L.; Dumont, W.; Cravador, A.; Krief, A. *Synthesis* **1979**, 877-880.
- 69) Nouvelles Méthodes de Synthèse des Méthylsélénocétals et Cétals.
Cravador, A.; Krief, A. *C. R. Acad. Sci., Paris, Série C*. **1979**, *289*, 267-269.
- 70) Synthèse d'Ethers d'Enol Silylés β -Séliés et β -Soufrés.
J. Lucchetti, J.; Krief, A. *C. R. Acad. Sci., Paris, Série C*. **1979**, *289*, 287-288.
- 71) New Synthetic Route to 9, 10-Iminophenanthrene.
Denis, J.N.; Krief, A. *Tetrahedron* **1979**, *35*, 2901-2903.
- 72) Regiospecific Synthesis of Alkylidene Cyclopropanes.
Halazy, S.; Krief, A. *J. Chem. Soc. Chem. Comm.* **1979**, 1136.
- 73) Regioselective and [C,C] Connective Routes to Oxetanes and Tetrahydrofuranes.
Sevrin, M.; Krief, A. *Tetrahedron Lett.* **1979**, *21*, 585-586.
- 74) Olefin Synthesis by Reductive Elimination of β -Heterosubstituted Alkylhalides.
Sevrin, M.; Denis, J.N.; Krief, A. *Tetrahedron Lett.* **1980**, *21*, 1877-1880.
- 75) α -Selenocyclobutylolithiums as a 2-Lithio-1,3-Diene Equivalent. Regioselective (100%) Synthesis of Ipsenol.
Halazy, S.; Krief, A. *Tetrahedron Lett.* **1980**, *21*, 1997-2000.
- 76) Reduction vs. Acetalisation of some Carbonyl Compounds by Means of Methylselenol and Lewis acids.
Cravador, A.; Krief, A.; Hevesi, L. *J. Chem. Soc. Chem. Comm.* **1980**, 451.
- 77) Phosphorus Tri-iodide (PI₃), a Powerful Deoxygenating Agent.
Denis, J.N.; Krief, A. *J. Chem. Soc. Chem. Comm.* **1980**, 544-545.
- 78) Comparative Study for the Introduction of a Masked Nucleophilic Acyl Moiety at the C(3) Site of α,β -Unsaturated Aldehydes and Esters.
Lucchetti, J.; Krief, A. *J. Organomet. Chem.* **1980**, *194*, C49-C52.
- 79) New Stereoselective Routes from Alcohols to Secondary Alkyl Bromides with Retention of Configuration.
Sevrin, M.; Krief, A. *J. Chem. Soc. Chem. Comm.* **1980**, 656-657.
- 80) Synthesis of Vinyl Sulphides, Azido Sulphides, and Olefins from β -Hydroxy-sulphides.
Dumont, W.; Krief, A. *J. Chem. Soc. Chem. Comm.* **1980**, 673-675.

- 81) Synthetic Methods Using α -Heterosubstituted Organometallics.
Krief, A. *Tetrahedron* **1980**, 36, 2531-2640.
- 82) Unexpectedly Easy Formation of α -Seleno-carbonyl Compounds from Vinyl Selenides.
Cravador, A.; Krief, A. *J. Chem. Soc. Chem. Comm.* **1980**, 951-952.
- 83) Phosphorus Triiodide and Diphosphorus Tetraiodide, New Reagents for Deprotecting Acetals and Ketals.
Denis, J.N.; Krief, A. *Angew. Chem. Int. Ed. Engl.* **1980**, 19, 1006-1007.
- 84) Nouvelles Méthodes de Synthèse Utilisant une Entité Séléniée comme Précurseur de Fonction.
Krief, A.; Dumont, W.; Cravador, A.; Denis, J.N.; Halazy, S.; Hevesi, L.; Labar, D.; Lucchetti, J.; Rémon, J.; Sevrin, M.; Van Ende, D. *Bull. Soc. Chim. Fr.* **1980**, 11-12, II-519-II-529.
- 85) One-pot Synthesis of α -Bromo and α -Iodo Ketones from Epoxides.
Denis, J.N.; Krief, A. *Tetrahedron Lett.* **1981**, 22, 1429-1430.
- 86) Mild Reduction of α -Halo Ketones to Ketones Promoted by PI_3 or P_2I_4 .
Denis, J.N.; Krief, A. *Tetrahedron Lett.* **1981**, 22, 1431-1432.
- 87) Stereochemistry of the C_3 Addition of 1-Lithio 1,1-bis-Methylselenoalkanes to Methyl Cyclohexenones.
Lucchetti, J.; Krief, A. *Tetrahedron Lett.* **1981**, 22, 1623-1626.
- 88) Synthesis of 1-Phenylseleno-1-Vinyl and 1-Methylseleno-1-Vinyl Cyclopropanes by Formal Dehydration of β -Hydroxycyclopropyl Selenides.
Halazy, S.; Krief, A. *Tetrahedron Lett.* **1981**, 22, 1829-1832.
- 89) Regio and Stereoselective Synthesis of 1-Methylseleno-1-Vinyl and 1-Phenylseleno-1-Vinyl Cyclopropanes.
Halazy, S.; Krief, A. *Tetrahedron Lett.* **1981**, 22, 1833-1836.
- 90) Synthetic Routes to Cyclopropylidenecarbinols and to Cyclopropylidienes.
Halazy, S.; Krief, A. *Tetrahedron Lett.* **1981**, 22, 2135-2138.
- 91) Unusual Reactivity of Selenoboranes towards Epoxides : New Selective Routes to β -Hydroxyselenides and Allyl alcohols.
Cravador, A.; Krief, A. *Tetrahedron Lett.* **1981**, 22, 2491-2494.
- 92) New Synthetic Routes to Vinyl Sulfides, Ketene Thioacetals and Their Seleno Analogues from Carbonyl Compounds.
Denis, J.N.; Desauvage, S.; Hevesi, L.; Krief, A. *Tetrahedron Lett.* **1981**, 22, 4009-4012.
- 93) New Reactions of 1-Seleno-1-Vinyl Cyclopropanes.
Halazy, S.; Krief, A. *Tetrahedron Lett.* **1981**, 22, 4341-4344.

- 94) Synthesis and Reactivity of α -Lithio α -Trimethylsilyl Cyclopropanes and Related Derivatives.
Halazy, S.; Dumont, W.; Krief, A. *Tetrahedron Lett.* **1981**, 22, 4737-4740.
- 95) New Method for the Ring Enlargement of Cyclic Ketones.
Labar, D.; Laboureur, J.L.; Krief, A. *Tetrahedron Lett.* **1982**, 23, 983-986.
- 96) Mechanism of the Reaction of Some Organometallic Compounds with α -Enones.
Lucchetti, J.; Krief, A. *J. Chem. Soc. Chem. Commun.* **1982**, 127-128.
- 97) Connective [C,C] Route to Hindered Epoxides and Olefins from Hindered Ketones.
Labar, D.; Krief, A. *J. Chem. Soc. Chem. Commun.* **1982**, 564-566.
- 98) New Synthetic Route to (1R)-trans-Chrysanthemic Ester and to the (1R)-cis-gem-Dibromovinyl Analogue from a Common Intermediate.
De Vos, M.J.; Krief, A. *J. Am. Chem. Soc.* **1982**, 104, 4282-4283.
- 99) New Synthesis of Ketene Thioacetals, Vinylsulfides and their Seleno Analogues.
Denis, J.N.; Krief, A. *Tetrahedron Lett.* **1982**, 23, 3407-3410.
- 100) Syntheses Using 1-Lithio-1-Seleno Alkenes.
Denis, J.N.; Krief, A. *Tetrahedron Lett.* **1982**, 23, 3411-3414.
- 101) Efficient Regioselective Syntheses of α and β -Cuparenones. A New Approach for the Construction of the Cyclopentane Ring.
Halazy, S.; Zutterman, F.; Krief, A. *Tetrahedron Lett.* **1982**, 23, 4385-4388.
- 102) Regio and Stereochemically Controlled Ring Opening of Epoxides with Grignard Reagents. Stereocontrolled Synthesis of the Steroid Side Chains. First Stereoselective Hemisynthesis of 20S-Isolanosterol.
Schauder, J.R.; Krief, A. *Tetrahedron Lett.* **1982**, 23, 4389-4392.
- 103) Regioselective Syntheses of Polyalkylated Cyclopentanones.
Halazy, S.; Krief, A. *J. Chem. Soc. Chem. Commun.* **1982**, 1200-1201.
- 104) Enantioselective Synthesis of Chiral Caronic Esters : Application to the Syntheses of (1R)-trans-Chrysanthemic Acid and its (1R)-cis-Dibromo Vinyl Analogue from Dimethyl Fumarates.
De Vos, M.J.; Krief, A. *Tetrahedron Lett.* **1983**, 24, 103-106.
- 105) Unusual Regiochemical Control of the Reactivity of some Organometallics with Chalcone.
Dumont, W.; Lucchetti, J.; Krief, A. *J. Chem. Soc. Chem. Commun.* **1983**, 66-68.
- 106) Diphosphorus Tetraiodide. A Valuable Reagent in Cyclopropane Chemistry.
Denis, J.N.; Krief, A. *J. Chem. Soc. Chem. Commun.* **1983**, 229-230.

- 107) Synthesis and Diels-Alder Reactions of Allylidene cyclopropane.
Zutterman, F.; Krief, A. *J. Org. Chem.* **1983**, *48*, 1135-1137.
- 108) Reduction of Thiiranes to Alkenes and Alkanes.
Schauder, J.R.; Denis, J.N.; Krief, A. *Tetrahedron Lett.* **1983**, *24*, 1657-1660.
- 109) Allylselenides Possessing a Terminal Double Bond. First Regioselective Synthesis and Reactions.
Di Giamberardino, T.; Halazy, S.; Dumont, W.; Krief, A. *Tetrahedron Lett.* **1983**, *24*, 3413-3416.
- 110) Regioselective Synthetic Routes to 1,4-Dicarbonyl Compounds and some α -Hydroxy Carbonyl Compounds from 1,1-bis(Thio)- and bis(Seleno)-Alkylolithiums.
Lucchetti, J.; Krief, A. *Synth. Commun.* **1983**, *13*, 1153-1161.
- 111) Original Method for the Ring Enlargement of Cyclic Ketones.
Laboureur, J.L.; Krief, A. *Tetrahedron Lett.* **1984**, *25*, 2713-2716.
- 112) Novel Synthetic Route γ -Oxo-Acrylates. Application to the Synthesis of Pyrenophorin Antibiotic.
Dumont, W.; Vermeyen, C.; Krief, A. *Tetrahedron Lett.* **1984**, *25*, 2883-2886.
- 113) Novel Synthesis of Tertiary Alkyl, Secondary and Tertiary Benzyl, and Allyl Selenides from the Corresponding Alcohols.
Clarembeau, M.; Krief, A. *Tetrahedron Lett.* **1984**, *25*, 3625-3628.
- 114) Allyl Methyl Selenides : Valuable Reagents for the Synthesis of Alkylolithiums and α -Metallo Allyl Selenides.
Clarembeau, M.; Krief, A. *Tetrahedron Lett.* **1984**, *25*, 3629-3632.
- 115) Synthesis of Homoallyl Selenides and Sulfides by Allylation of α -Seleno- and α -Thioalkylolithiums in the Presence of Copper(I) Salts.
Clarembeau, M.; Bertrand, J.L.; Krief, A. *Israel Journal of Chemistry*, **1984**, *24*, 125-133.
- 116) Novel One Step Synthesis of Epoxides from β -Hydroxy Selenides and Sulfides.
Laboureur, J.L.; Dumont, W.; Krief, A. *Tetrahedron Lett.* **1984**, *25*, 4569-4572.
- 117) New Insight in the Synthesis and Reactivity of Selenenic Acids.
Labar, D.; Krief, A. *Bull. Soc. Chim. Belg.* **1984**, *93*, 1005-1007.
- 118) Novel Synthesis of Benzylolithiums from Benzylselenides.
Clarembeau, M.; Krief, A. *Tetrahedron Lett.* **1985**, *26*, 1093-1096.
- 119) Synthesis of Selenones: a Comparative Study.
Krief, A.; Dumont, W.; Denis, J.N.; Evrard, G.; Norberg, B.; *J. Chem. Soc. Chem. Commun.* **1985**, 569-570.

- 120) Novel Functional Group Transformations Involving Alkyl Phenyl Selenones.
Krief, A.; Dumont, W.; Denis, J.N. *J. Chem. Soc. Chem. Commun.* **1985**, 571-572.
- 121) Insight in the Mechanism of Cyclopropanation of Electrophilic Olefins by 2-Metallo-2-Nitro-Propanes.
Chaboteaux, G.; Krief, A. *Bull. Soc. Chim. Belg.* **1985**, 94, 495-498.
- 122) Synthesis of Selenoacetals.
Clarembeau, M.; Cravador, A.; Dumont, W.; Hevesi, L.; Krief, A.; Lucchetti, J.; Van Ende, D. *Tetrahedron* **1985**, 41, 4793-4812.
- 123) Stereochemical Outcome of the Reaction of some α -Selenoalkyllithiums with 4-t-Butyl Cyclohexanone.
Labar, D.; Krief, A.; Norberg, B.; Evrard, G.; Durant, F.; *Bull. Soc. Chim. Belg.* **1985**, 94, 1083-1100.
- 124) 2-Lithio-2-Phenylsulfonyl Propane as Efficient Precursor of gem-Dimethyl Cyclopropane Carboxylic Acids.
Krief, A.; De Vos, M.J. *Tetrahedron Lett.* **1985**, 26, 6115-6116.
- 125) 2-Metallo-2-nitropropanes as Isopropylidene Transfer Reagents for the Cyclopropanation of Electrophilic Alkenes. Application to the Synthesis of trans-Chrysanthemic Acid.
Krief, A.; Hevesi, L.; Chaboteaux, G.; Mathy, P.; Sevrin, M.; De Vos, M.J. *J. Chem. Soc. Chem. Commun.* **1985**, 1693-1695.
- 126) Syntheses of Tetraheterofulvalenes and of Vinylene Triheterocarbonates - Strategy and Practice.
Krief, A. *Tetrahedron* **1986**, 42, 1209-1252.
- 127) Novel Synthetic Route to Aryl Alkanes from Aromatic Aldehydes and Ketones. Novel Geminal Dialkylation of the Carbonyl Group of Aromatic Aldehydes and Ketones.
Krief, A.; Clarembeau, M.; Barbeaux, P. *J. Chem. Soc. Chem. Commun.* **1986**, 457-458.
- 128) Ring Expansion of Cyclenones : an Unusual Regioselectivity.
Krief, A.; Laboureur, J.L. *J. Chem. Soc. Chem. Commun.* **1986**, 702-704.
- 129) A Novel Method for the Geminal Dialkylation of the Carbonyl Group of Aromatic Aldehydes and Ketones.
Clarembeau, M.; Krief, A. *Tetrahedron Lett.* **1986**, 27, 1719-1722.
- 130) Metallation of Benzyl Selenides and of α -Aryl Selenoacetals. Scope and Limitations.
Clarembeau, M.; Krief, A. *Tetrahedron Lett.* **1986**, 27, 1723-1726.
- 131) Novel Synthesis of Methyl Caronate.
Krief, A.; De Vos, M.J.; Sevrin, M. *Tetrahedron Lett.* **1986**, 27, 2283-2286.
- 132) Cleavage of Selenoacetals by Clay-Supported Metal Nitrates.
Laszlo, P.; Pennetreau, P.; Krief, A. *Tetrahedron Lett.* **1986**, 27, 3153-3154.

- 133) On the Structure of α -Metallo Benzylselenides.
Clarembreau, M.; Krief, A. *Tetrahedron Lett.* **1986**, 27, 4917-4920.
- 134) Regiochemistry of the Ring Expansion of Unsymmetrically Substituted Ketones Involving β -Hydroxyalkylselenides.
Krief, A.; Laboureur, J.L. *Tetrahedron Lett.* **1987**, 28, 1545-1548.
- 135) Original Syntheses of Carbonyl Compounds and gem-Dihalocyclopropanes from β -Hydroxyalkylselenides.
Krief, A.; Laboureur, J.L.; Dumont, W. *Tetrahedron Lett.* **1987**, 28, 1549-1552.
- 136) Novel Syntheses of γ -Selenobutyrate from Geminally Diactivated Cyclopropane Derivatives.
Krief, A.; Trabelsi, M. *Tetrahedron Lett.* **1987**, 28, 4225-4228.
- 137) Original Syntheses of Arylcycloalkanes.
Krief, A.; Barbeaux, P. *J. Chem. Soc. Chem. Commun.* **1987**, 16, 1214-1216.
- 138) About the Mechanism of Sterol Biosynthesis.
Krief, A.; Schauder, J.R.; Guittet, E.; Herve du Penhoat, C.; Lallemand, J.Y. *J. Amer. Chem. Soc.* **1987**, 109, 7910-7911.
- 139) Application of Homonuclear Chemical Shift Correlation NMR to the Study of the Cyclization Products of Unnatural Δ^{18-19} -(Z)-Epoxy-squalene.
Guittet, E.; Herve du Penhoat, C.; Lallemand, J.Y.; Schauder, J.R.; Krief, A. *J. Amer. Chem. Soc.* **1987**, 109, 7911-7913.
- 140) Efficient Syntheses of Diselenides from Selenols.
Krief, A.; De Mahieu, A.F.; Dumont, W.; Trabelsi, M. *Synthesis* **1988**, 131-133.
- 141) From Tartaric Acid to the Most Biologically Active Insecticides. Straightforward Enantioselective Synthesis of Pyrethrins.
Krief, A.; Dumont, W.; Pasau, P. *Tetrahedron Lett.* **1988**, 29, 1079-1082.
- 142) From Tartaric Acid to the Most Biologically Active Insecticides. Straightforward Enantioselective Synthesis of Deltamethrin.
Krief, A.; Dumont, W. *Tetrahedron Lett.* **1988**, 29, 1083-1084.
- 143) Exploratory Study on α -Metallo Selenones : Original Syntheses of Oxaspiropentanes.
Krief, A.; Dumont, W.; Laboureur, J.L. *Tetrahedron Lett.* **1988**, 29, 3265-3268.
- 144) Novel Synthesis of Selenones: Application to the Synthesis of Alkyl Cyclopropanecarboxylates.
Krief, A.; Dumont, W.; De Mahieu, A.F. *Tetrahedron Lett.* **1988**, 29, 3269-3272.
- 145) Novel Stereoselective Route to cis-Chrysanthemide Acid.
Krief, A.; Surleraux, D.; Frauenrath, H. *Tetrahedron Lett.* **1988**, 29, 6157-6160.

- 146) Original Syntheses of Epoxides Involving Organoselenium Intermediates.
Krief, A.; Dumont, W.; Van Ende, D.; Halazy, S.; Labar, D.; Laboureur, J.L.; Lê, Q.T. *Heterocycles*, **1989**, 28, 1203-1228.
- 147) About the Mechanism of the Rearrangement of β -Hydroxyalkylselenides to Ketones.
Krief, A.; Laboureur, J.L.; Evrard, G.; Norberg, B.; Guittet, E. *Tetrahedron Lett.* **1989**, 30, 575-576.
- 148) Synthesis of α -Selenoalkyllithium Compounds.
Krief, A.; Dumont, W.; Clarembeau, M.; Bernard, G.; Badaoui, E. *Tetrahedron*, **1989**, 45, 2005-2022.
- 149) Comparison between Alkylseleno, Arylseleno and Arylthio Substituents Stabilizing Alkylolithium Compounds.
Krief, A.; Dumont, W.; Clarembeau, M.; Badaoui, E. *Tetrahedron*, **1989**, 45, 2023-2030.
- 150) Stereoselective Synthesis of Methyl (*IR*) trans- and (*IR*) cis-Hemicaronaldehydes from Natural Tartaric Acid : Application to the Synthesis of s-Bioallethrin and Deltamethrin Insecticides.
Krief, A.; Dumont, W.; Pasau, P.; Lecomte, P. *Tetrahedron*, **1989**, 45, 3039-3052.
- 151) Efficient Syntheses of (d,l) and (d) Selenomethionine.
Krief, A.; Trabelsi, M. *Synth. Commun.* **1989**, 19, (7 & 8), 1203-1210.
- 152) Stereoselective Synthesis and Reactions of 1-Seleno-4-*tert*-Butyl Cyclohexyllithiums.
Krief, A.; Evrard, G.; Badaoui, E.; De Beys, V.; Dieden, R. *Tetrahedron Lett.* **1989**, 30, 5635-5638.
- 153) Straightforward Synthesis of Isopropylidenediphenylsulfurane and Application to Industrially Viable Stereoselective Synthesis of Deltamethrin Insecticide.
Krief, A.; Lecomte, P.; Demoute, J.P.; Dumont, W. *Synthesis*, **1990**, 275-278.
- 154) Efficient, High Yield Oxidation of Thiols and Selenols to Disulphides and Diselenides.
McKillop, A.; Koyunçu, D.; Krief, A.; Dumont, W.; Renier, P.; Trabelsi, M. *Tetrahedron Lett.* **1990**, 31, 5007-5010.
- 155) From Grape to Grape : Novel Stereoselective Syntheses of Chiral Pyrethroids - Synthesis of the Most Potent Commercially Available Insecticides.
A. Krief, D. Surleraux, W. Dumont, P. Pasau, Ph. Lecomte, *Pure and Appl. Chem.* **1990**, 62, 1311-1318.
- 156) Novel Stereoselective Synthesis of Arylcyclopropanes.
Krief, A.; Barbeaux, P.; Guittet, E. *Synlett* **1990**, 509-510.
- 157) A New Route to Compounds Bearing Two Contiguous Quaternary Centres.
Krief, A.; Barbeaux, P. *Synlett*, **1990**, 511-514.

- 158) Transformations of β -Hydroxyalkyl Selenides to Aldehydes and Ketones : a Review.
Krief, A.; Laboureur, J.L.; Dumont, W.; Labar, D. *Bull. Soc. Chim. Fr.* **1990**, *127*, 681-696.
- 159) Regioselective Syntheses of Polycyclic Compounds by Carbanion-Mediated Polycyclisation of Olefins.
Krief, A.; Barbeaux, P. *Tetrahedron Lett.* **1991**, *32*, 417-420.
- 160) Unusual Stereofacial Differentiation in the Reduction of Bicyclo[3.1.0]Hexanones by Luche's Reagent ($\text{NaBH}_4\text{-CeCl}_3$).
Krief, A.; Surleraux, D. *Synlett* **1991**, *4*, 273-275.
- 161) New Synthesis of (*d,l*) *cis*- 2-Desmethyl and 2,2-Di-Desmethyl Chrysanthemic Acids
Krief, A.; Surleraux, D.; Robson, M.J. *Synlett* **1991**, *4*, 276-278.
- 162) Original Reactions of α,α -Dithio Aryl Alkanes with Butyllithiums.
Krief, A.; Kenda, B.; Barbeaux, P. *Tetrahedron Lett.* **1991**, *32*, 2509-2512.
- 163) Stereochemical Outcome of Reaction Involving 1,1-bis(seleno) 4-*Tert*-Butyl Cyclohexanes.
Krief, A.; Badaoui, E.; Dumont, W.; Hevesi, L.; Hermans, B.; Dieden, R. *Tetrahedron Lett.* **1991**, *32*, 3231-3234.
- 164) Comparison of the Behaviour of Oxidosqualene Cyclases from Pig Liver and Yeast toward Epoxy-Squalene Analogues Possessing a Δ^{18-19} *Z* or *E* C, C Double Bond.
Krief, A.; Pasau, P.; Quéré L. *Bioorg. & Medic. Chem. Lett.* **1991**, *1*, 365-368.
- 165) Novel Synthesis of Arylcyclopropane Derivatives from α -Selenobenzylolithiums and Epoxides.
Krief, A.; Hobe, M. *Synlett* **1992**, *4*, 317-319.
- 166) New Synthesis of Tetrahydropyrans from Tetrahydrofurans.
Krief, A.; Bousbaa, J.; Hobe, M. *Synlett* **1992**, *4*, 320-322.
- 167) Reactions of Dibenzyl Diselenides with Alkali Metal Hydrides.
Krief, A.; Trabelsi, M.; Dumont W. *Synlett* **1992**, *8*, 638-640.
- 168) Stereochemical outcome of Benzylolithiums Synthesis from Selenides
Krief, A.; Hobe, M.; Dumont, W.; Badaoui, E.; Guittet, E.; Evrard, G. *Tetrahedron Lett.* **1992**, *33*, 3381-3384.
- 169) On the Synthesis of Aryl Cyclopropanes from γ -Benzenesulfonylalkyl Tin Derivatives and *n*-Butyllithium.
Krief, A.; Hobe, M. *Tetrahedron Lett.* **1992**, *33*, 6527-6528.

- 170) On the Mechanism of the Synthesis of Aryl Cyclopropanes from γ -Benzenesulfonyloxyalkyl Seleno and Tin Derivatives and n-Butyllithium. Krief, A.; Hobe, M. *Tetrahedron Lett.* **1992**, *33*, 6529-6532.
- 171) Syntheses of Alkali Selenolates from Diorganic Diselenides and Alkali Metal Hydrides: Scope and Limitations. Krief, A.; Trabelsi, M.; Dumont W. *Synthesis* **1992**, 933-935.
- 172) Synthesis and Cyclisation of ω -Alkenyl Allyllithiums. Krief, A.; Derouane, D.; Dumont W. *Synlett* **1992**, 907-908.
- 173) Novel Results on the Biocyclisation of 2,3-Oxidosqualene Analogs by Sterol Cyclase. Krief, A.; Pasau, P.; Guittet, E.; Shan, Y.Y.; Herin, M. *Bioorg. & Medic. Chem. Lett.* **1993**, *3*, 365-368.
- 174) Novel Enantioselective Syntheses of Optically Active (1*R*)-cis- and (1*R*)-trans-Chrysanthemic Acids. Krief, A.; Surleraux, D.; Ropson, N. *Tetrahedron: Asymmetry* **1993**, *4*, 289-292.
- 175) On the Reactivity of i-Propylidetriphenylphosphorane with some α,β -Unsaturated Esters, -Amides and Acyl Chlorides. Krief, A.; Dubois, P. *Tetrahedron Lett.* **1993**, *34*, 2691-2694.
- 176) Stereoselective Syntheses of Cyclopropane Derivatives from γ -Alkoxy- α,β -Unsaturated Carbonyl Compounds and Isopropylidene Transfer Reagents. Krief, A.; Lecomte, P. *Tetrahedron Lett.* **1993**, *34*, 2695-2698.
- 177) Selective Synthesis of Mixed (O,Se) Acetals and of (Se,Se) Acetals from (O,O) Acetals. Krief, A.; Hobe, M.; Badaoui, E.; Bousbaa, J.; Dumont, W.; Nazih, A. *Synlett* **1993**, 707-709.
- 178) Cleavage of the C-Se Bond of Cyclic Selenoacetals Derived from 4-t-butyl Cyclohexanone with Butyllithiums and Tin and Silyl Hydrides. Krief, A.; Badaoui, E.; Dumont, W. *Tetrahedron Lett.* **1993**, *34*, 8517-8520.
- 179) Synthesis of Selenolates from Stannyl and Silyl Alkylselenides. Krief, A.; Badaoui, E.; Dumont, W. *Tetrahedron Lett.* **1993**, *34*, 8521-8522.
- 180) Synthesis of Arylcycloalkanes from ω -Alkenyl Benzylselenides. Krief, A.; Kenda, B.; Barbeaux, P.; Guittet, E. *Tetrahedron* **1994**, *50*, 7177-7192.
- 181) Synthesis of Pyrethroid Acids from Natural Products and from Isomeric Compounds : Strategy and Practice. Krief, A. *Pestic. Sci.* **1994**, *41*, 237-257.
- 182) Intensities of the ν_4 Band of CH₃NC at 10.5 μ m. Blanquet, Gh.; Walrand, J.; Dang-Nhu, M.; Krief, A.; Bousbaa, J. *J. Mol. Spectrosc.* **1994**, *165*, 291-293.

- 183) Stereoselective Syntheses of Cyclopropane Derivatives from γ -alkoxy- α,β -unsaturated Carbonyl Compounds and Methylene Transfer Reagents.
Krief, A.; Dumont, W.; Lecomte, P. *Polish J. Chem.* **1994**, *68*, 2505-2511.
- 184) "Three Components" Synthesis of Vinyl Cyclopropane Carboxylic Acids.
Krief, A.; Dumont, W.; Provins, L. *Synlett* **1995**, 121-122.
- 185) Synthetic Studies Towards Milbemycin β_3 . Rapid Construction of a Model Spiroketal Subunit Using the Intramolecular Silyl Modified Sakurai (ISMS) Methodology.
Marko, I.E.; Bailey, M.; Murphy, F.; Declercq, J.-P.; Tinant, B.; Feneau-Dupont, J.; Krief, A.; Dumont, W. *Synlett* **1995**, 123-126.
- 186) Stereoselective Syntheses of 1,2-Dialkyl-1-phenyl-cyclopentanes by Intramolecular Carbolithiation of Vinyl Sulfides.
Krief, A.; Kenda, B.; Remacle, B. *Tetrahedron Lett.* **1995**, *36*, 7917-7920.
- 187) Synthesis of Organolithium Compounds from Phenyl Selenides.
Krief, A.; Nazih, A.; Hobe, M. *Tetrahedron Lett.* **1995**, *36*, 8111-8114.
- 188) C/Se Bond Cleavage of Functionalized Selenides by Lithium Arenides : Application to the Geminal di-Allylation of the Carbonyl Group of Aldehydes and Ketones.
Krief, A.; Nazih, A. *Tetrahedron Lett.* **1995**, *36*, 8115-8118.
- 189) Stereoselective Syntheses of 1,2-Dialkyl-1-phenyl Cyclopentanes Involving Intramolecular Carbolithiation of α -Thioalkenes.
Krief, A.; Kenda, B.; Remacle, B. *Tetrahedron* **1996**, *52*, 7435-7463.
- 190) Stereoselective Syntheses of 1,2-Dialkyl-1-phenyl Cyclopentanes Involving Intramolecular Carbolithiation of Olefins.
Krief, A.; Kenda, B.; Maertens, C.; Remacle, B. *Tetrahedron* **1996**, *52*, 7465-7473.
- 191) Reaction of 1,3-Diselenanes with Metal Amides.
Krief, A.; Defrère, L. *Tetrahedron Lett.* **1996**, *37*, 2667-2670.
- 192) Novel synthesis of vinyl cyclopropane carboxylic acids : application to the synthesis of (d,l)- and (d)-cis-chrysanthemic acid
Krief, A.; Swinnen D. *Tetrahedron Letters* **1996**, *37*, 7123-7126.
- 193) Synthesis of 2,2-dimethyl-4-cyclopentene-1,3-dione and 5,5-dimethyl-4-hydroxy-2-cyclopenten-1-one
Kreiser, W.; Wiggermann, A.; Krief, A.; Swinnen, D. *Tetrahedron Letters* **1996**, *37*, 7119-7122.
- 194) Synthesis of optically active arylcyclopentanes by carboxyclisation of ω -alkenylbenzylolithiums involving diastereofacial differentiation
Krief, A.; Bousbaa, J. *Synlett* **1996**, 1007-1009.

- 195) Reaction of 1,3-diselenanes with organolithiums
Krief, A.; Defrère, L. *Tetrahedron Letters* **1996**, 37, 8011-8014.
- 196) Synthesis of 2-lithio-1,3-diselenanes and 2-lithio-1,3-dithianes by Se/Li exchange : first successful trapping of axially oriented 2-lithio-1,3-diselenanes
Krief, A.; Defrère, L. *Tetrahedron Letters* **1996**, 37, 8015-8018.
- 197) 3-Methylseleno-2-[methylselenomethyl]-propene Valuable Precursor of Trimethylenemethane and Trimethylenemethane dianion.
Krief, A.; Dumont, W. *Tetrahedron Letters* **1997**, 38, 657-660.
- 198) Novel synthesis of vinylcyclopropyl ketones and vinylcyclopropanecarboxylic acids: application to the stereoselective synthesis of trans-chrysanthemide acid
Krief, A.; Ollevier, T.; Dumont, W. *J. Org Chem.* **1997**, 62, 1886-1890.
- 199) Chemoselective reduction of organoselenocyanates to diselenides
Krief, A.; Delmotte, C.; Dumont, W. *Tetrahedron Letters* **1997**, 38, 3079-80.
- 200) Oxidation of allylselenides with the Sharpless AD-reagents
Krief, A.; Colaux, C.; Dumont, W. *Tetrahedron Letters* **1997**, 38, 3315-3318.
- 201) Original synthesis of 1,2-oxathiolan-2-oxides and vinyl cyclopropane carboxylic esters
Krief, A.; Provins, L. *Synlett* **1997**, 505-507.
- 202) Chemoselective reduction of organoselenocyanates to diselenides and selenolates
Krief, A.; Delmotte, C.; Dumont, W. *Tetrahedron* **1997**, 53, 12147-48.
- 203) α -Methoxy-benzylmetals : original synthesis and reactivity
Krief, A.; Bousbaa, J. *Tetrahedron Letters* **1997**, 38, 6289-6290.
- 204) ω -Alkenyl- α -methoxy-benzylolithiums : original synthesis and reactivity
Krief, A.; Bousbaa, J. *Tetrahedron Letters* **1997**, 38, 6291-6294.
- 205) Beryllium dichloride : efficient promoter for the addition of organolithiums and organomagnesiums to cyclohexen-2-one
Krief, A.; Devos, M. J.; De Lombaert, S.; Bosret, J.; Couty, F. *Tetrahedron Letters* **1997**, 38, 6295-6298.
- 206) γ -Silyloxy-benzylolithiums : stereochemistry of the retro-[1,4]-Brook rearrangement
Bousbaa, J.; Ooms, F.; Krief, A. *Tetrahedron Letters* **1997**, 38, 7625-7628.
- 207) Synthesis of 1-aryl-2-vinyl cyclopropanes by intramolecular carbolithiation

- Couty, J.; Krief, A. *Tetrahedron Letters* **1997**, 38, 8085-8088.
- 208) Trans-chelating chiral peralkyldiphosphine ligands (R,R)-(S,S)-2,2''-bis[1-dialkylphosphino)ethyl]-1,1''-biferrocenes (alkylTRAPs) and their transition metal complexes.
Kuwano, R.; Sawamura, M.; Okuda, S.; Asai, T.; Ito, Y.; Redon, M.; Krief, A. *Bull. Chem. Soc. of Jpn* **1997**, 70, 2807-2822.
- 209) Stereochemistry of the intramolecular carbolithiation of vinyl sulfides.
Hoffmann, R.W.; Koberstein, R.; Remacle, B.; Krief, A. *Chem. Commun.* **1997**, 2189-2190.
- 210) Catalytic enantioselective synthesis of 2-alkylcyclobutanones and 4-alkyl- γ -butyrolactones from alkylidenecyclopropanes and the Sharpless AD-mix reagent.
Krief, A.; Ronvaux, A.; Tuch, A. *Bull. Soc Chim. Belg.* **1997**, 106, 699-702.
- 211) Diastereoselective synthesis of dimethyl cyclopropane-1,1-dicarboxylates from a alkyl- γ -alkoxy-alkylidene malonate and sulfur and phosphorus ylides.
Krief, A.; Provins, L. ; Froidebise, A. *Tetrahedron Letters* **1998**, 39, 1437-1440
- 212) Stereoselective synthesis of methyl trans-chrysanthemate and related derivatives
Krief, A.; Provins, L. A. *Tetrahedron Letters* **1998**, 39,2017-2020
- 213) Syntheses of rac- and optically active 2-alkyl- γ -butyrolactones and 2-alkyl-cyclobutanones.
Krief , A. Ronvaux, A.; Tuch, A. *Tetrahedron* **1998**, 54, 6903-6907
- 214) Synthesis and absolute structure determination of camphanoate derivatives of five bicyclo[3.1.0]hexane compounds
Krief, A; Ollevier, T.; Swinnen, D.; Norberg, Baudoux, G.; B.; Evrard, G. *Acta Crystallographica, Section C* **54** **1998**, 392-398
- 215) On the Synthesis of Unsaturated Oxaspiropentanes
Krief , A. Ronvaux, A. *Synlett* **1998**, 491-494
- 216) Three intermediates in the synthesis of chrysanthemic acid
Baudoux, G.; Norberg, B.; Provins, L.; Froidebise, A.; Krief, A; Evrard, G. *Acta Crystallographica, Section C* **54** **1998**, 834-837
- 217) Cis-4,6-Dimethyl-2-phenyl-1,3-diselenane,
G. Baudoux, B. Norberg, J. Wouters, L. Defrere, A. Krief, G. Evrard, *Acta Crystallographica C* **54**, (1998), 1505-1507.

- 218) Preparation and synthetic utility of 2-methylselenomethyl allyl methyl selenide. A valuable precursor of 2-silylmethylallyllithiums
Krief, A.; Dumont, W., Marko, I.E.; Murphy, F; Vanherck, J.-C.; Duval, R.; Ollevier, T.; Abel, U. *Synlett*, **1998**, 1219
- 219) Coupling of Organic Halides with Carbonyl Compounds Promoted by SmI₂, the Kagan Reagent
Krief, A.; Laval, A.-M. *Chem. Rev.* **1999**, 99, 745
- 220) Catalytic asymmetric dihydroxylation of α -methylstyrene by air
Krief, A.; Castillo-Colaux, C. *Tetrahedron Letters* **1999**, 40, 4189-4192
- 221) On the cyclization of ω -styrenyllithiums
Krief, A.; Remacle, J.; Dumont, W. *Synlett*, **1999**, 1142-1144
- 222) Original synthesis and reactivity of 1,3-benzodiselenolanes
Krief, A.; Defrère, L. *Tetrahedron Letters* **1999**, 40, 6571-6575
- 223) Metal-mediated, completely diastereofacial conjugate addition of trialkylstannylmetal reagents to γ -alkoxy- α,β -unsaturated esters.
Krief, A.; Provins, L.; Dumont, W. *Angew. Chem. Int Ed.* **1999**, 13/14, 1946-1947.
- 224) The first synthesis of organic diselenolates : application to the synthesis of diorganyl diselenides.
Krief, T. Van Wemmel, M. Redon, W. Dumont and C. Delmotte, *Angew. Chem. Int Ed.* **1999**, 38, 2245-2247
- 225) Asymmetric Synthesis of Cyclopropane-1,1-dicarboxylates from a γ -Alkoxy-Alkylidenemalonate
Krief, A. ; Provins, L.; Froidebise, A. *Synlett*. **1999**, 1936-1938
- 226) Isomerisation of 2,2-dimethyl dimedone to (*d,l*) *cis*-chrysanthemic acid
Krief, A., Lorvelec G., Jeanmart S. *Tetrahedron Letters* **2000**, 41, 3871-3874
- 227) Reaction of Organic Selenocyanates with Hydroxides : Scope and Limitation of an Old Reaction. Application to the "One Pot" Synthesis of Dialkyl Diselenides from Alkyl Bromides
Krief, A ; Dumont, W. ; Delmotte, C. *Angew. Chem. Int Ed.* **2000**, 39, 1669-1672
- 228) Synthesis of 1-Aryl-2-vinylcycloalkanes by Intramolecular Carbolithiation.
Krief, A.; Remacle, B.; Mercier J. *Synlett* **2000**, 1443-1446
- 229) Reactions involving Inorganic Compounds.
Krief, A.; Delmotte, C.; Castillo-Colaux, C *Pure and Applied Chem* **2000**, 72, 1709-1713

- 230) Catalytic Asymmetric Dihydroxylation of C,C Double Bonds with Osmium Tetroxide using Selenoxides as Co-oxidants
Krief, A.; Castillo-Colaux C. *Synlett.* **2001**, 501-504.
- 231) Recognition of β -ketoalcohol-derived Haptens by Tailor-made Antibodies
Krief, A.; Letesson, J.-J.; Swinnen, D.; Billen, D. *Synlett.* **2001**, 931-936.
- 232) Comparison between "IgY technology" from chickens and "IgG technology" from mice for production of tailor-made antibodies
Krief, A.; Letesson, J.-J.; Billen, D. *Tetrahedron Letters* **2002**, 42, 1843-1846.
- 233) Asymmetric dihydroxylation of C,C double bonds using Catalytic Amounts of Osmium tetroxide, Selenides and Air
Krief, A.; Castillo-Colaux C. *Pure and Applied Chem* **2002**, 74, 107-113.
- 234) Evidence of an Equilibrium between Selenides and Osmium (VIII) Reagents and Selenoxides and Osmium (VI) Reagents
Krief, A.; Castillo-Colaux C. *Chem Commun* **2002**, 558-559.
- 235) Synthesis of diselenides and selenides from elemental selenium,
Krief, A.; Derock, M. *Tetrahedron Letters* **2002**, 43, 3083-3086
- 236) Stereocontrolled synthesis of [3.1.0]bicyclohexanones by cyclopropanation of enones with benzylidene sulfuranes,
Krief, A.; Swinnen, D.; Billen, D. *Tetrahedron Letters* **2002**, 43, 5871-5873
- 237) Novel synthesis of (d,l) *trans*-chrysanthemic acid involving a β -diketone fragmentation,
Krief, A.; Jeanmart, S. *Tetrahedron Letters* **2002**, 43, 6167-6168
- 238) Singlet oxygen oxidation of selenides to selenoxides,
Krief, A.; Lonz, F.
Tetrahedron Letters **2002**, 43, 6255-6257
- 239) Enantioselective synthesis of (1R)-*trans*-chrysanthemate acid,
Krief, A.; Provins, L.; Froidbise, A. *Tetrahedron Letters* **2002**, 43, 7881-7882.
- 240) An Expeditious Enantioselective Synthesis of Methyl *trans*-Chrysanthemate,
Krief, A.; Dumont, W.; Baillieul, D. *Synthesis* **2002**, 14, 2019-2022
- 241) "EnCOre (Encyclopédie de Chimie Organique Electronique): an Original Way to Represent and Transfer Knowledge from Freshmen to Researchers in Organic Chemistry"
The British Computer Society, Electronic Workshops in Computing, **2004**, 2, ISSN 1477-9358,

Colaax-Castillo, C.; Krief, A.

<http://ewic.bcs.org/conferences/2003/3rdlege/session1/paper5.htm>.

- 242) First synthesis of 3-*O*-methyl-scylo-inosamine, a natural product which favors the Rhizobium–Leguminosae symbiosis,
Krief, A.; Dumont, W.; Billen, D.; Letesson, J.-J.; Murphy, P. J.; Lacroix, D. *Tetrahedron Letters* **2004**, 45,1461-1463.
- 243) Hemisynthesis of methyl pyrethroates from γ -alkoxy-alkylidene malonates and isopropylidenediphenylsulfurane and isopropylidetriphenylphosphorane,
Krief, A.; Froidebise, A. *Tetrahedron* **2004**, 35, 7637-7658.
- 244) Conditions-Driven Selective Synthesis of Selenides and Selenols from Elemental Selenium,
Krief, A.; Trabelsi, M.; Dumont, W.; Derock, M. *Synlett* **2004**, 1751-1754.
- 245) Interactive Construction of EnCOre (Learning by building and using an Encyclopedia)
Lemoisson, P.; Untersteller, E.; Nunes, M. A.; Cerri, S.; Krief, A.; Paraguaçu, F. ITS'04: International Conference on Intelligent Tutoring Systems (ACT-I 04), Workshop on GRID Learning Services (GLS'04 at ITS'04), Maceio, Alagoas, Brazil, August 30 - September 3, 2004)) Acte:11459, **2004**, pp. 78-93.
<http://pckaty.lirmm.fr/Document.htm&numrec=031982057916480>
- 246) Condition-driven selective syntheses of dialkyldiselenides involving elemental selenium and sodium borohydride.
Krief, A; Derock, M. *Synlett*, **2005**, 1012-1014.
- 247) Diastereoselective addition of silyl metals to γ -alkoxy substituted α,β -unsaturated esters.
Krief, A; Baillieul, D. *Tetrahedron Lett.* **2005**, 46, 951-953.
- 248) Synthesis of prim-alkyl selenols and selenides from prim-alkyl thiols involving diphenyl sulphonium salts
Krief, A; Dumont, W. Robert, M. *Chem. Commun*, **2005**, 2167-2168.
- 249) Diastereoselective Additions to C,C Double Bonds Applied to the Enantioselective Synthesis of Pyrethroic Acids
Krief, A; Froidebise, A. *Mini-Review in Organic Chemistry*, **2005**, 4, 299-312.
- 250) Reactions of Vinylcyclopropane Epoxides with Samarium and Phosphorus Iodides
Krief, A.; Dumont, W.; Baillieul, D. *Synlett* **2005**, 2688-2690.
- 251) Diastereoselective addition of silyl- and stannyl metals to γ -alkoxy-alkylidene malonates
Krief, A.; Dumont, W.; Baillieul, D. *Tetrahedron Letters* **2005**, 46, 8033-8035.
- 252) Zinc-Mediated Synthesis of tertiary Alkyl Selenides from of tertiary Alkyl halides
Krief, A.; Derock, M.; Lacroix, D. *Synlett* **2005**, 2832-2634.

- 253) "EnCOrE (Encyclopédie de Chimie Organique Electronique): an Original Way to Represent and Transfer Knowledge from Freshmen to Researchers in Organic Chemistry" Colaux-Castillo, C.; Krief, A. In "Towards the Learning Grid, Advances in Human Learning Services", IOS PRESS, eds. P. Ritrovatto, C. Allison, S.A. Cerri, T. Dimitrakos, M. Gaeta, S. Salerno. Ed. 2005; Vol. 17, Part D: New Direction in Learning Services. 252 pp., hardcover, ISBN: 1-58603-534-7
<http://www.iospress.nl/loadtop/load.php?isbn=1586035347>.
- 254) " Arylation of n-hexylthiol and n-hexyl phenyl sulfide using diphenyliodonium triflate: Synthetic and mechanistic aspects. Application to the transformation of n-hexylthiol to n-hexylselenides"
Krief, A.; Willy Dumont, W.; Robert, M. *Synlett* **2006**, 484-486.
- 255) Synthesis, structural reassignment and biological activity of type B MAO inhibitors based on the 5H-indeno-[1,2-c]pyridazin-5-one core"
Frédéric, R.; Dumont, W.; Ooms, F.; Van der Schyf, C.; Aschenbach, L.; Castagnoli, N.; Wouters, J.; Krief, A. *J. Med. Chem.* **2006**, *49*, 3743-3747.
- 256) Reactivity of alkyl aryl selenides towards butyllithiums: synthesis and alkylation of aryllithiums; a new synthetic route to aryl alkanes
Krief, A.; Dumont, W.; Gillin, F. *Arkivoc* **2006**, Atta-ur-Rahman Issue (vii) 1-14.
- 257) Synthesis of Hexylselenol and Hexylselenides from Hexylthiol Involving Hexylthiolanium Salts
Krief, A.; Dumont, W.; Robert, M. *Synlett* **2006**, 2601-2604.
- 258) Fragmentation of 4-sulfonyl-bicyclo[3.1.0]hexan-2-ones as the key step in the enantioselective synthesis of (1*R*)-*cis*-chrysanthemic acid involving desymmetrization of 3,3,6,6-tetramethyl-bicyclo[3.1.0]hexane-2,4-dione
Krief, A.; Kremer, A. *Synlett* **2007**, 607-610.

